



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT3320014  
SITENAME Torrente Lerada

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> B	<b>1.2 Site code</b> IT3320014	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Torrente Lerada
-----------------

<b>1.4 First Compilation date</b> 1995-06	<b>1.5 Update date</b> 2012-05
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b>	Regione Autonoma Friuli Venezia Giulia – Direzione Centrale risorse rurali, agroalimentari e forestali – Servizio caccia, risorse ittiche e biodiversità
<b>Address:</b>	Via Sabbadini, 31 – 33100 Udine
<b>Email:</b>	s.caccia.pesca.amb.naturali@regione.fvg.it

<b>Date site proposed as SCI:</b>	1995-09
<b>Date site confirmed as SCI:</b>	No data
<b>Date site designated as SAC:</b>	No data
<b>National legal reference of SAC designation:</b>	No data

## 2. SITE LOCATION

[Back to top](#)



66.43	G	A	C	A	A
-------	---	---	---	---	---

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Gl
I	1092	<a href="#">Austropotamobius pallipes</a>			p				C	M	D			
A	1193	<a href="#">Bombina variegata</a>			p				C	M	C	B	C	C
B	A224	<a href="#">Caprimulgus europaeus</a>			r				R		D			
B	A080	<a href="#">Circaetus gallicus</a>			c				V		D			
F	1163	<a href="#">Cottus gobio</a>			p				C		D			
B	A122	<a href="#">Crex crex</a>			r				R		C	B	B	B
I	1065	<a href="#">Euphydryas aurinia</a>			p				C	M	B	B	B	B
B	A338	<a href="#">Lanius collurio</a>			r				R		D			
B	A246	<a href="#">Lullula arborea</a>			r				R		D			
B	A072	<a href="#">Pernis apivorus</a>			r				P		D			
F	1107	<a href="#">Salmo marmoratus</a>			p				R		D			
M	1354	<a href="#">Ursus arctos</a>			c				V	M	C	B	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

--	--	--

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
R	1283	<a href="#">Coronella austriaca</a>						C	X				X	X
R	1281	<a href="#">Elaphe longissima</a>						C	X				X	X
M	6110	<a href="#">Felis silvestris silvestris</a>						C	X		X		X	X
I	1026	<a href="#">Helix pomatia</a>						P		X			X	X
R	5670	<a href="#">Hierophis viridiflavus</a>						C	X				X	X
R	1263	<a href="#">Lacerta viridis</a>						C	X				X	X
P		<a href="#">Lilium carniolicum</a>						P			X			X
I	1067	<a href="#">Lopinga achine</a>						C	X				X	X
M	1357	<a href="#">Martes martes</a>						R		X	X		X	X
M	2631	<a href="#">Meles meles</a>						C					X	X
M	1358	<a href="#">Mustela putorius</a>						R		X	X		X	X
I	1056	<a href="#">Parnassius mnemosyne</a>						P	X				X	X
I	6265	<a href="#">Phengaris arion</a>						P	X				X	X
R	1256	<a href="#">Podarcis muralis</a>						C	X				X	X
P		<a href="#">Pseudostellaria europea</a>						P						X
A	1213	<a href="#">Rana temporaria</a>						C		X			X	X
A	2351	<a href="#">Salamandra salamandra</a>						C					X	X
A	2353	<a href="#">Triturus alpestris</a>						R					X	X
R	1295	<a href="#">Vipera ammodytes</a>						P	X		X		X	X
R	5902	<a href="#">Vipera aspis francisciredi</a>						C					X	X
I	1053	<a href="#">Zerynthia polyxena</a>						P	X				X	X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N23	1.0
N06	1.0
N16	98.0
<b>Total Habitat Cover</b>	<b>100</b>

#### Other Site Characteristics

Il sito include il corso del Torrente Lerada, compreso nel bacino del fiume Isonzo; esso scorre in un solco vallivo su substrato calcareo con depositi misti sul fondo. La parte più fresca e meno acclive della valle è occupata da un bosco di latifoglie miste mentre la parte superiore, più erta, è occupata da faggete. Alcune aree sono occupate da boschi secondari su prati abbandonati. Il sito confina con la Repubblica di Slovenia.

### 4.2 Quality and importance

Il sito comprende ampie superfici di boschi di forra (Tilio-Acerion) in buono stato di conservazione. E' presente una delle rare stazioni di Pseudostellaria europea (= Stellaria bulbosa). Il sito riveste importanza ornitologica per la nidificazione di Crex crex. Nella zona fa frequenti comparse Ursus arctos, ed è piuttosto comune Vipera ammodytes, mentre Bombina variegata non è particolarmente abbondante. Nelle acque del Lerada Austroptamobius pallipes è piuttosto comune. E' presente anche Cottus gobio.

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
H	B02		i
L	D01.01		i
H	F03.01		b

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]

### 4.5 Documentation

BULGARINI F., CALVARIO E., FRATICELLI F., PETRETTI F. & SARROCCO S., 1999. Libro Rosso degli animali d'Italia. Vertebrati. WWf Italia ed., Roma: 1-210. DE LUISE G., 2004. Monitoraggio del gambero d'acqua dolce nelle aree SIC del Friuli Venezia Giulia. Relazione interna Regione Autonoma Friuli Venezia Giulia, Direzione centrale delle risorse agricole, naturali e forestali, Servizio per la tutela degli ambienti naturali e della fauna. FEOLI CHIAPELLA L. & POLDINI L., 1985. Contributi floristici dal Friuli-Venezia Giulia. Gortania, 7:189-222, Udine. FLORIT F. & RASSATI G. (in stampa) - Distribuzione del re di quaglie Crex crex in Friuli Venezia Giulia in relazione alla rete regionale di Aree naturali tutelate. Atti XV Conv. It. Orn., Cervia (RA), 21-25 settembre 2011. FLORIT F. & RASSATI G. 2009 - Aggiornamento sull'attività di monitoraggio del Re di quaglie Crex crex promosso dalla Regione autonoma Friuli Venezia Giulia: anni 2007-2008. Atti XV Conv. It. Orn., Sabaudia (LT), 14-18 ottobre 2009. Alula, 16 (1-2): 92-93. FLORIT F. & RASSATI G. 2010 -

Corncrake (*Crex crex*) monitoring in Friuli Venezia Giulia (North-eastern Italy). Abstracts Bird Numbers 2010 "Monitoring, indicators and targets" 18th Conference of the European Bird Census Council, Càceres, Spain, 22-26 March 2010. [http://www.seo.org/ebcc2010/varios/EBCC%202010%20Book%20of%20Abstracts.pdf]  
 LAPINI L., 1989. La faina e la martora nel Friuli-Venezia Giulia: prima sintesi cartografico-distributiva. Fauna, 1:57-60, Udine. MELZER H., 1975. Neues zur Flora von Kärnten und der Nachbarländer Salzburg, Friaul und Slowenien. Carinthia II, 165/85:255-266, Klagenfurt. MELZER H., 1984. Beiträge zur Flora von Friaul-Julisch Venetien und angrenzender Gebiete (Italien, Jugoslawien). Gortania, 6:175-190, Udine. POLDINI L. & NARDINI S., 1993. Boschi di forra, faggete e abieteti in Friuli (NE Italia). Studia Geobot., 13: 215-298. RUFFO S., STOCH F. (eds.), 2006. Checklist and distribution of the Italian fauna. Memorie del Museo Civico di Storia Naturale di Verona, 2.Serie, Sezione Scienze della Vita 17, with CD-ROM.

## 5. SITE PROTECTION STATUS (optional)

### 5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT13	100.0	IT14	1.0		

## 6. SITE MANAGEMENT

### 6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Autonoma Friuli Venezia Giulia – Direzione Centrale risorse rurali, agroalimentari e forestali – Servizio caccia, risorse ittiche e biodiversità
Address:	Via Sabbadini, 31 – 33100 Udine
Email:	s.caccia.pesca.amb.naturali@regione.fvg.it

### 6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input checked="" type="checkbox"/>	No, but in preparation
<input type="checkbox"/>	No

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☒ Yes ☐ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).